



*Semiautomatic,  
multispindle, single-  
head boring machine*



## **BORING SYSTEM 21 PRESTIGE**

For horizontal and vertical drilling into wood-based panels and solid wood, for the furniture manufacturing




### **FAST HORIZONTAL DRILLING**

Thanks to the 640 mm interaxis and the large working table, You can process 2 panels having 316 mm width at the same time



### **FAST VERTICAL DRILLING**

You can process 3000 mm - long sides in 5 working cycles



### **PERFECT PANEL JOINTS**

The ref. side fences, adjustable along a metric bar, with magnify glass and nonius, always represent a precise reference point for the operator and guarantee the perfect parallelism of the drilling operations



**Small footprint: 1 mq**



**Two times faster than a manual boring machine**



## BORING SYSTEM 21 PRESTIGE

# SERVICE

Worldwide after-sale service.

Real-time, on-line remote assistance through a dedicated augmented reality APP.  
Spare-parts availability for up to 10 years, shipment within 24 hrs

## DATA SHEET

|                                  |                            |
|----------------------------------|----------------------------|
| Spindles                         | N 21                       |
| Left and right spindles          | N. 10 left - N. 11 right   |
| Spindle interaxis                | 32 mm                      |
| Total interaxis:                 | 640 mm                     |
| Max. tool diameter               | 40 mm                      |
| Max. boring depth                | 65 mm                      |
| Max. boring height               | 55 mm                      |
| Height of working table          | 860 mm                     |
| Max. panel thickness             | 60 mm (130 mm optional )   |
| Max. panel dimensions            | 900 x 3000                 |
| N° 1 motor                       | HP 2 / KW 1,5 - RPM 2800   |
| Standard pneumatic pressure      | BAR 6/ 8                   |
| Air consumption                  | 10 NL / cycle              |
| Dust collection hood diameter    | 80 mm                      |
| Overall dimensions - net weight: | 1015 x 990 x 1270 - kg 260 |
| Package dimensions (machine)     | 1150x 950 x 1050 -         |
| Package dimensions (long fences) | 1500 x 120 x 60            |
| Gross weight                     | kg 290                     |



### QUICK SET-UP

Adjusting the boring depth is extremely easy with the "Spiral System" device and the 10 mm automatic reset for vertical drilling

### VERSATILITY

It drills at any angle between 0° and 90°

### SAFE PANEL HOLD-DOWN

The quick-positioning, safety, hold-down clamping units ensure the greatest stability and steadiness of the working piece during the working cycle and the highest accuracy of the drilling process

#### SERVICE

+39 0571 635 433

service@maggi-technology.com

#### SALES

+39 0571 635 474

sales@maggi-technology.com

#### MAGGI TECHNOLOGY

Via delle Regioni, 299  
50052 Certaldo (Firenze) Italia



MADE  
in ITALY