





*Professional
power-feeding
unit with variable
speeds*


VARIOSTEFF 4

Safety device for a safe and effective
workpiece feeding on different types
of traditional wood-working machines



HIGH-QUALITY END PRODUCTS

4-wheel model : the ideal solution for the feeding of wooden rods and medium and/or large-size workpieces. Thanks to the two infeed-wheels and the two outfeed ones, the workpiece is constantly and evenly fed through the working process, thus remarkably improving the quality of the end products.



HIGHEST VERSATILITY

A wide range of variable speeds, that You can easily select by turning a knob. The ideal solution for those who often need to change the feeding rate. The speed selector on the motor unit allows a quick change of the feeding direction back and forth



PERFECT GRIP

50-Shore wheels made of patented "Feeder Grip" rubber, provide the longest durability and the highest grip on the workingpiece. 4 wheels ensure even more grip on the panel although the feeding process.

- **Improves the safety :** the operator does not have to put his hands close to the tool
- **Improves the finish quality,** thanks to the constant and even feed-rate
- **Feed-rate can be easily selected** to meet every specific working need
- **Easily adjustable** to suit different sizes of work piece



VARIOSTEFF 4 SERVICE

Worldwide after-sale service.
Real-time, on-line remote assistance through a dedicated augmented reality APP.
Spare-parts availability for up to 10 years, shipment within 24 hrs


DATA SHEET

Variable speeds	from 3 to 18 mt/min (up to 33 mt/min optional)
N. of wheels	4
Wheel diameter and thickness	120 x 60 mm
Motor	1 HP / 0,75 KW RPM 1400 /2800
Wheel suspension	20 mm
Distance between wheels	162 mm - 152 mm - 133 mm
Distance between first and last wheel	447 mm
Overall dimensions and net weight of the feeding unit	620 x 206 x 510 mm 35 Kg
Overall dimensions and net weight of the stand	540 x 910 mm 35 Kg
Package dimensions and gross weight (feeding unit)	670 x 570 x 330 mm 37 Kg
Package dimensions and gross weight (stand)	800 x 330 x 330 mm 37 Kg



SAFETY AS A CORE VALUE

A power-feeder improves the safety as it feeds the workpiece close to the tool, while operator's hands are kept at a distance. Its effectiveness depends on specific design and manufacturing criteria. Maggi feeders are the only ones designed and manufactured in Italy and abiding by all EU safety norms.



UNIVERSAL STAND

For easy positioning and adjusting of the feeding unit on the machine tool. It is easy to fix, stable and strong : foot, cross-shaped piece, pipe, joint and collar are made of cast-iron and the two columns are made of rectified steel of considerable thickness.

MAGGI TECHNOLOGY
Via delle Regioni, 299
50052 Certaldo (Firenze) Italia

SERVICE
+39 0571 635 433
service@maggi-technology.com

SALES
+39 0571 635 474
sales@maggi-technology.com





*Stand for
professional
power-feeding
units*

PATENTED “EASY” STAND

Makes it FAST and EASY to tilt
your power-feeding unit



UNIVERSAL PATENT

The innovative, patented **EASY swivel joint** is compatible with all Maggi stands, even older ones, while its compatibility with other brands is to be confirmed after checking



READY IN ONE CLICK

Tilting Your power-feeding unit has never been so **QUICK** and **EASY**! Turn the handle to unlock, tilt the feeding unit, turn the handle again to lock



UNCOMPROMISED SAFETY

The safety knob prevent the feeding unit from falling or moving suddenly after unlocking the handle; thus allowing the operator to tilt and adjust it in complete safety.

VALUE EVERY MOMENT : Both in Your business and in Your life every minute counts ! With **EASY STAND** You can move faster and get to the job done easier..

UPGRADE SMARTLY : Replacing Your traditional swivel joint with an **EASY** joint considerably improves the performance of your stand at very little cost.



**MADE
in ITALY**

SERVICE

+39 0571 635 433
service@maggi-technology.com

SALES

+39 0571 635 474
sales@maggi-technology.com

MAGGI TECHNOLOGY

Via delle Regioni, 299
50052 Certaldo (Firenze)
Italia



VIDEO

maggi-technology.com